

Modular Wall Plaster Panels

surfaceform






Surfaceform Modular wall panels are light weight easy to install and are a simple solution for interior walls.

- Reducing time on site by 70%.
- Lightweight, easy to cut and install.
- Customised panels can be designed and manufactured to your specific sizes and requirements.
- Suitable for internal walls.
- Fabricated off site.
- Easily replaced if damaged.
- Low VOC.
- Supplied on either FSC Birch plywood, fire protection boards or MDF.
- In house manufacturing allows better quality control.

surfaceform






Modular Panel Range

Shown below are some of our popular wall panel finishes.


All panels are available in bespoke sizes.



Geometric

Geometric pattern is created using a luxurious polished and subtle textured plaster finish with a metal inlay. Numerous patterns can be created using this technique either for stand-alone pieces or larger surfaces when using multiple panels.

Standard Panel Size: 1200mm x 1000mm



Sunburst

Sunburst is created using a low Relief metallic plaster. Ideal for art pieces or creating feature walls.


Standard Panel Size: 1200mm x 1000mm



Concrete Stone

Concrete Stone is sprayed using a special textured concrete finish making it ideal for large or small spaces. This effect is suited for using in either commercial or domestic settings. This material is very cost effect and ideal for large spaces.


Standard Panel Size: 1200mm x 1000mm



Corrugated

Corrugated is cast using the highest quality gypsum and backed with plywood for easy installation. Final decoration is normally applied after fitting using regular paints.

Standard Panel Size: 2400mm x 600mm



Bloc

Bloc is created using random panels. Panel's depths varied from 25mm-75mm creating the stepped effect. Each individual Bloc is hand crafted creating a unique concrete look. Mini Bronze Sunburst panels are used to compliment the concrete. Thickness can vary depending on design requirements.


Standard Panel Size: 300mm x 400mm



Inverted Fluted

Inverted Fluted is cast using the highest quality gypsum backed with plywood for easy installation. Final decoration is normally applied after fitting using regular paints.

Standard Panel Size: 2400mm x 600mm



Triangular Geometric

Triangular geometric panel is created by using contrasting organic smooth and textured plaster.


Standard Panel Size: 2400mm x 600mm



Bolted Concrete


Bolted Concrete creates the effected of a shuttered concrete wall with realistic plug holes. A 2mm concrete plaster is applied onto a backing board.

Standard Panel Size: 2400mm x 600mm



Concrete Semi-Polished Panel








Inverted Fluted Panel



Customised Panels

Surfaceform Modular panels can be custom designed and manufactured to your specific sizes and requirements.

Our company have years of experience working with some of the world's most highly regarded design teams, global brands and private individuals. We have a passion for experimenting with materials, trends and crafts to design and create inventive surfaces for inspirational interiors.



Manufacture & Installation

Panels are prefabricated off-site using a range of decorative finishes which are fixed onto either FSC Birch plywood, Fire Protection backing boards or MDF.

They are easy and fast to install using either split batons or face fixings. Most panels can be cut on site as needed.

The panels are supplied to site in protective crates.

* A 2mm shadow gap is recommended between each panel.




Technical Information

Composition	Plaster face laminated onto backing board
Backing board	Birchwood Ply (£££), Fire boards (££) or MDF (£)
Dimensions	Standard - 2400 by 1200 Customised as needed or supplied in a 3000mm by 1200 size
Thickness	Will vary depending on selected finish and project requirements
Weight	5-20KG per m2
Fixing options	Split batons, glued or face fixed
Cutting options	Panel saw, Plunge saw or by hand
Repair Kits	Yes
Fire	Fire Resistance boards offer A1 Euro class for non load bearing walls
VOC	Plaster Finish - 0% VOC (depending on actual finish)
Sealer	Water based PU or waxes

For more technical information email info@surfaceform.com

Panel Installation



Contact

Head Office: 02886 769607

London: 0208 816 8160

Dublin: 003531 442 8377

Email: info@surfaceform.com

A19 Kilcronagh Business Park

Cookstown, Co. Tyrone

BT80 9HJ. Northern Ireland

www.surfaceform.com

surfaceform